

This machine and many others can be found at hadanichmachine.com!

Category	Gear Machines - Shavers		
Manufacturer	Mitsubishi		
Model	FS30A		
Serial Number	30026C5		
Year	2004		
Control	GE Fanuc Series 180i-Mb		
Maximum Work Diameter	5.12 in		130.05 mm
Minimum Work Diameter	1.18 in		29.97 mm
Maximum Tooth Face Width	1.57 in		39.88 mm
Diametrical Pitch Range	8.47 Maximum		
Module Range	3 Maximum		
Shaving Head Swivel Range	+/- 20 Degrees		
Cutter Head Radial Travel X-Axis	5.79 in		147.07 mm
Cutter Head Longitudinal Travel Z-Axis	4.92 in		124.97 mm
Cutter Head Tangential Travel Y-Axis	+/- 1.18" in		0 mm
Maximum Distance Between Centers	15.75 in		400.05 mm
Maximum Cutter Diameter	9.84 in		249.94 mm
Shaving Cutter Spindle Speeds	60 - 500 Per Minute Infinitely Variable		
Shaving Cutter Motor Power	9.73 HP		7.26 kW
Conveyor	Livonia Magnetics 18" Magnetic Chip Separator		
Coolant	Yes		
Power	As Needed		
Additional	Synchronized shaving feature, gantry load and unload robot, coolant system		

with 5 hp, and 1 hp 50 gpm pumps,

Machine Length	215.83 in	5482.08 mm
Machine Width	143.7 in	3649.98 mm
Weight	13640 lbs	6186.99 Kg
Condition	Good	

Click on a thumbnail below to see the full-size image. Use your browser's *back* button to return to this gallery.









